



UNDERCARRIAGE

UNDERCARRIAGE



● IDLERS

- Cast idlers available with brackets and tension devices
- Full Range of excavator/dozer applications

● ROLLERS

- Roller Shells manufactured using boron steel
- Superior Wear Resistance in HD applications

● TRACK CHAINS


- Pin/Bushings with reduced friction
- Standard and Heavy Duty link designs
- Patented Split Master links

● SPROCKETS

- From Mini to Mining applications
- Sprockets and Rims
- Reinforced Geometries

● SEGMENTS

- Complete range
- Excellent Wear and Resistant to Breakage





UNDERCARRIAGE

UNDERCARRIAGE

Mark	Description	Model
KOMATSU	ROLLER GR.	PC120-3
		PC200-5
	CARRIER ROLLER GR.	PC120-3
		PC200-5
	SPROCKET RIM	PC120-3
		PC200-5
	FRONT ASS'Y	PC120-3
		PC200-5
KOBELCO	ROLLER GR.	SK120
		SK200-3
	CARRIER ROLLER GR.	SK120
		SK200-3
	SPROCKET RIM	SK120
		SK200-3
	FRONT ASS'Y	SK120
		SK200-3
HITACHI	ROLLER GR.	EX120,EX100
		EX200-2
	CARRIER ROLLER GR.	EX120,EX100
		EX200-2
	SPROCKET RIM	EX120,EX100
		EX200-2
	FRONT ASS'Y	EX120,EX100
		EX200-2
CATERPILLAR	ROLLER GR.	CAT312,E120
		CAT320
	CARRIER ROLLER GR.	CAT312,E120
		CAT320
	SPROCKET RIM	CAT312,E120
		CAT320
	FRONT ASS'Y	CAT312,E120
		CAT320



UNDERCARRIAGE

UNDERCARRIAGE

Doosan Track Link

Machine Size	Model	Economic Part number	Description	Link Q'ty	M/Pin Type
5.5t	DX55 / S55	200103-00002-EP	LINK ASSY,TRACK	40	m/pin taper
	DX55 / S55	200103-00080-EP	LINK ASSY,TRACK	39	m/pin taper
7t - 8t	S70-3	200103-00003-EP	LINK ASSY,TRACK	38	m/pin taper
	S70-V	101539-00034-EP	LINK ASSY,TRACK	38	m/pin taper
14t - 18t	S130LC	200103-00004-EP	LINK ASSY,TRACK	46	m/pin taper
	S130LC-V / 140LC-V	200103-00064-EP	LINK ASSY,TRACK	43	m/pin taper
	S170LC-V	200103-00069-EP	LINK ASSY,TRACK	49	m/pin taper
22t - 34t	S220LC	200103-00005-EP	LINK ASSY,TRACK	52	m/pin taper
	S220LC-V/3 / S225LC-V / DX225LC	200103-00006-EP	LINK ASSY,TRACK	49	m/pin
	DX220A / DX225LCA	200103-00153-EP	LINK ASSY,TRACK	45	m/pin
	DX225LC-3/9	200103-00154-EP	LINK ASSY,TRACK	49	m/pin
	DX255LC-3/5	200103-00155-EP	LINK ASSY,TRACK	51	m/pin taper
	S225-HD	200103-00126-EP	LINK ASSY,TRACK	49	m/pin taper
	DX225LL	200103-00158-EP	LINK ASSY,TRACK	45	m/pin taper
	S300LC-V	200103-00007-EP	LINK ASSY,TRACK	51	m/pin taper
	DX300LCA (-3/5/LL) / DX340LC (-3/5)	200103-00009-EP	LINK ASSY,TRACK	48	m/pin
40t- 50t	DX380LC (-3/5)	200103-00156-EP	LINK ASSY,TRACK	50	m/pin taper
	DX380LC (-3/5)	200103-00157-EP	LINK ASSY,TRACK	50	m/pin taper
	S470LC-3	200103-00008	LINK ASSY,TRACK	53	m/pin taper
	S400LC-3	200103-00134	LINK ASSY,TRACK	50	m/pin taper
	S470LC-V / DX480 / S500LCV ,DX500	200103-00122-EP	LINK ASSY,TRACK	53	m/pin



UNDERCARRIAGE

DOOSAN UNDERCARRIAGE

No	P/no.	Description	Model
1		SPROCKET RIM	DX30
2	K1008230	SPROCKET RIM	DX35Z
3	200108-00022A	SPROCKET RIM	DX55,S55
4	200108-00185	SPROCKET RIM	DX80,S70-3
5	K1018303	SPROCKET RIM	DX140LC
6	200108-00095A	SPROCKET RIM	DX225LCA,DX200A,DX220A
7	200108-00019A	SPROCKET RIM	DX225LC-3,5,DX225-3,5
8	200108-00055	SPROCKET RIM	S300LC-V,S340LC,DX300LCA,DX340LC,SOLAR340LC-V,DX300LCA/DX340LC (p/no 2404N256= SK300)
9	200108-00004A	SPROCKET RIM	DX380LC-3,5
10	108-00019A	SPROCKET RIM	S470LC-V,S500LC-V
11	200108-00001A	SPROCKET RIM	DX480LCA,DX500LCA,DX520LCA
12	200108-00101	SPROCKET RIM	S470LC-V / S500LC-V,DX500,DX520LCA/DX480LC/S500LC-V
13	200108-00058	SPROCKET RIM	DX520LCA,DX480LC,DX500LC
14		FRONT IDLER ASS'Y	DX30
15	200102-00101	FRONT IDLER ASS'Y	DX35Z
16	200102-00029A	FRONT IDLER ASS'Y	DX55,S55
17	2270-6125A	FRONT IDLER ASS'Y	DX80,S70-VS
18	K1000779A	FRONT IDLER ASS'Y	SOLAR140LC-V,S140LC-V=K1000779A
19	200102-00052	FRONT IDLER ASS'Y	DX200,DX225
20	200102-00022B	FRONT IDLER ASS'Y	DX225LCA,DX200A,DX220A
21	2270-6098B	FRONT IDLER ASS'Y	S220LC-3
22	200102-00055	FRONT IDLER ASS'Y	DH215-9,DH215-9E,DH220LC-9
23	200102-00001A	FRONT IDLER ASS'Y	DX225LL,DX300LCA,DX340LCA
24	2270-1084E	FRONT IDLER ASS'Y	S300LCV, SOLAR340LC-V,S340LC-V
25	200102-00020	FRONT IDLER ASS'Y	DX380LC-3,5, DX420LCA
26	200102-00002A	FRONT IDLER ASS'Y	DX480LCA,DX500LCA,DX520LCA (5001-5234-AFTER)
27		ROLLER GR.	DX30
28	200104-00075	ROLLER GR.	DX35Z
29	200104-00017A	ROLLER GR.	DX55/ S55
30	270-00040C	ROLLER GR.	DX80/ S70-V INNER FLANGE
31	200104-00007C	ROLLER GR.	DX380LC-3/5/ DX480LCA/ S500LC-V,S420LC-V/DX420LCA/DX500LCA
32	2270-6123	ROLLER GR.	S70-3 OUTER FLANGE
33		ROLLER GR	DX140
34	200104-00044A	ROLLER GR.	DX225LCA/ DX200A/ DX220A
35	200104-00001B	ROLLER GR.	DX300LCA/ DX340LC,DH280,S280LC-III,S300LC-V
36		CARRIER ROLLER GR.	DX30
37	K1008224A	CARRIER ROLLER GR.	DX35Z
38	2270-1134A	CARRIER ROLLER GR.	DX55/ S55
39	2270-6124A	CARRIER ROLLER GR.	S70-3
40	200105-00012	CARRIER ROLLER GR.	SOLAR140LC-V
41	200105-00032A	CARRIER ROLLER GR.	S470LC-V/ S500LC-V
42	200105-00002C	CARRIER ROLLER GR.	DX380LC-3/5/ DX480LCA/DX500LCA
43	200105-00025	CARRIER ROLLER GR.	DX225LCA/ DX200A/ DX220A
44	200105-00003A	CARRIER ROLLER GR.	DX300LC/DX340LC
45	200105-00028	CARRIER ROLLER GR.	DX500
46	200105-00018	CARRIER ROLLER GR.	S220LC-3
47	200105-00020	CARRIER ROLLER GR.	S300LC-V,DH280,SE280LC-3



UNDERCARRIAGE

IDLER ASSY

These products are made in two main manufacturing concepts; steel casting and fabrication by electric welding process.



TRACK ROLLER & CARRIER ROLLER

TRACK ROLLER :

Excavator rollers are specifically designed, engineered and manufactured for applications requiring high load resistance.

Dozer rollers are designed for applications that call for the maximum wear resistance.

CARRIER ROLLER :

Our rollers offer high performance and reliability in all working conditions, with long life and freedom from maintenance assured by a highly efficient lubrication system.





UNDERCARRIAGE

TRACK LINK & SHOE




TRACK LINK :

Our chains are hardened for long life and excellent seal-ability. They (for all crawlers and excavators) are forged with medium carbon steel that allow deeper heat treating. It assists to keep the pins and bushings from loosening even in severe applications.

OEM Quality and reliable

Available for all popular brands of Bulldozers, Crawler Loaders and Hydraulic Excavators etc.

- >>Guaranteed Heat Treatment
- >>Optimum Purchased Parts
- >>High Quality Control



TRACK SHOES :

We will support you with track shoes available several styles and a range of widths.

Standard shoes provide good penetration and traction. Extreme service shoes provide longer wear life in high impact and abrasive conditions.

They are tough and durable enough to survive continuous contact with the ground.



MINI EXCAVATOR'S PARTS :

We supply the full range of Mini-Excavator's undercarriage spare parts. They are worth to all kinds of working conditions.



UNDERCARRIAGE

TRACK LINK

No.	Description	Model
1	LINK A'SSY 40L	BD2F
2	LINK A'SSY 45L	CAT330
3	LINK A'SSY 39L	D3
4	LINK A'SSY 40L 5/8"	D4
5	LINK A'SSY 40L 9/16"	D4
6	LINK A'SSY 46L 5/8"	D5
7	LINK A'SSY 38L	D50
8	LINK A'SSY 36L	D6C
9	LINK A'SSY 48L	D60-6
10	LINK A'SSY 38L	D7
11	LINK A'SSY 43L	E120
12	LINK A'SSY 45L	E200B
13	LINK A'SSY 46L	SK200-V
14	LINK A'SSY 37L	EX60
15	LINK A'SSY 50L	EC360
16	LINK A'SSY 45L	FURUKAWA HCR9
17	LINK A'SSY 48L	HD700
18	LINK A'SSY 48L	K907
19	LINK A'SSY 46L	PC120-3
20	LINK A'SSY 42L	PC120-5
21	LINK A'SSY 45L	PC200-3
22	LINK A'SSY 45L	PC200-5
23	LINK A'SSY 43L	PC20-6
24	SHOE/STEEL TRACK ASS'Y 43L	PC20 โชว์พร้อมแผ่น
25	LINK A'SSY 43L	YANMAR
26	LINK A'SSY 48L	PC300-6LC
27	LINK A'SSY 48L	PC300-3



UNDERCARRIAGE

TRACK LINK

No.	Description	Model
28	LINK A'SSY 48L	PC300-5
29	LINK A'SSY 38L	PC40-7
30	LINK A'SSY 38L	PC40-1>6
31	LINK A'SSY 49L	PC400-5,SE450
32	LINK A'SSY 46L	PC400-6
33	LINK A'SSY 38L	PC60-6
34	LINK A'SSY 54L	SE210LC,D6B
35	LINK A'SSY 52L	SE450LC
36	LINK A'SSY 43L	SK120
37	LINK A'SSY 46L	SK220
38	LINK A'SSY 48L	SK300
39	LINK A'SSY 46L	EX200-5
40	LINK A'SSY 38L (LUB.) โขงน้ำมัน	D4E
41	LINK A'SSY 40L (LUB.) โขงน้ำมัน	D4E
42	LINK A'SSY 39L (LUB.) โขงน้ำมัน	D4H
43	LINK A'SSY 44L (LUB.) โขงน้ำมัน	D4H
44	LINK A'SSY 39L (LUB.) โขงน้ำมัน	D4H-HD
45	LINK A'SSY 44L (LUB.) โขงน้ำมัน	D4H-HD
46	LINK A'SSY 37L (LUB.) โขงน้ำมัน	D5H
47	LINK A'SSY 46L (LUB.) โขงน้ำมัน	D5H
48	LINK A'SSY 37L (LUB.) โขงน้ำมัน	D5H-HD
49	LINK A'SSY 39L (LUB.) โขงน้ำมัน	D5H-HD
50	LINK A'SSY 46L (LUB.) โขงน้ำมัน	D5H-HD
51	LINK A'SSY 36L (LUB.) โขงน้ำมัน	D6C
52	LINK A'SSY 39L (LUB.) โขงน้ำมัน	D6H
53	LINK A'SSY 45L (LUB.) โขงน้ำมัน	D6H
54	LINK A'SSY 40L (LUB.) โขงน้ำมัน	D6H-HD,D6R



UNDERCARRIAGE

SHOE

No.	Part No.	Description	Model
1	5S 0822	SHOE/SINGLE G. 20"	D5
2	7S 0706	SHOE/SINGLE G. 24"	D5
3	101-32-11370	SHOE/SINGLE G. 300MM.	D20
4	022001-06010	SHOE/SINGLE G.300MM.	HCR9
5	131-32-11115	SHOE/SINGLE G. 16"	D50
6	1V 4622	SHOE/SINGLE G. 18"	D4E
7	3T 0360	SHOE/SINGLE G. 18"	D4H
8	8E 9812	SHOE/SINGLE G. 20"	D4H
9	7S 9558	SHOE/SINGLE G. 22"	D6D,D6C
10	3T 8586	SHOE/SINGLE G. 20"	D5H
11	117-0615	SHOE/SINGLE G. 24"	D5H-HD
12	144-32-11111	SHOE/SINGLE G. 20"	D60-6
13	9G 9096	SHOE/SINGLE G. 22"	D6H
14	154-32-11113	SHOE/SINGLE G. 22"	D85
15	1P 9808	SHOE/SINGLE G. 22"	D7G
16	1P 9809	SHOE/SINGLE G. 24"	D7G
17	1082-00780	SHOE/TRIPLE G.800 MM.	SE210-1
18	607-51000010	SHOE/TRIPLE G.600 MM.	HD700
19	607-51200010	SHOE/TRIPLE G.800 MM.	HD700
20	203-32-51320	SHOE/TRIPLE G.700 MM.	PC120-5
21	2424N179D2	SHOE/TRIPLE G.800 MM.	K907,EX200-1
22	2424N184D2	SHOE/TRIPLE G.700 MM.	SK120
23	20S-32-12110	SHOE/DOUBLE G.300 MM.	PC20,PC30
24	20S-32-13250	SHOE RUBBER PAD 300 MM. แผ่นยาง	PC20
25	PC60-3/RUBBER	SHOE RUBBER PAD 400 MM. แผ่นยาง	D20PL-7,PC60-3
26	20T-32-77110	SHOE/TRIPLE G.400 MM.	PC40-7
27	20T-32-41210	SHOE/TRIPLE G.400 MM.	PC40-1>6
28	201-32-51110	SHOE/TRIPLE G.450 MM.	PC60-6
29	201-32-51310	SHOE/TRIPLE G.600 MM.	PC60-6
30	2037593	SHOE/TRIPLE G.450 MM.	EX60-3
31	2030532	SHOE/TRIPLE G.600 MM.	EX60-3
32	202-32-11292	SHOE/TRIPLE G.710 MM.	PC120-3
33	20Y-32-11110	SHOE/TRIPLE G.600 MM.	PC200-5
34	20Y-32-01224	SHOE/TRIPLE G.800 MM.	PC200-5
35	205-32-51130	SHOE/TRIPLE G.600 MM.	PC200-3
36	205-32-51251	SHOE/TRIPLE G.800 MM.	PC200-3
37	9W 9350	SHOE/TRIPLE G.600 MM.	CAT320
38	9W 9351	SHOE/TRIPLE G.800 MM.	CAT320
39	207-32-11162	SHOE/TRIPLE G.600 MM.	PC300-1
40	207-32-11182	SHOE/TRIPLE G.800 MM.	PC300-1
41	2424N141	SHOE/TRIPLE G.600 MM.	SK300
42	2424N142	SHOE/TRIPLE G.800 MM.	SK300
43	207-32-61110	SHOE/TRIPLE G.600 MM.	PC300-6
44	207-32-61320	SHOE/TRIPLE G.800 MM.	PC300-6
45	208-32-11130	SHOE/TRIPLE G.600 MM.	PC400-1,EC360
46	208-32-61110	SHOE/TRIPLE G.700 MM.	PC400-6
47	1082-01960	SHOE/TRIPLE G.600 MM.	EC460
48	6Y 2757	SHOE/TRIPLE G.600 MM.	CAT330
49	6Y 2756	SHOE/TRIPLE G.750 MM.	CAT330



UNDERCARRIAGE

SPROCKET & SEGMENT



These components are made out of cast steel with reinforced geometry at stressed sections, undergo accurate machining and induction hardening process specifically tailored to the different sizes. This allows perfect interchangeability and superior wear resistance.

Available for all popular brands of Bulldozers and Excavators ;

- >> Guaranteed Heat Treatment
- >> Optimum Material and High Wear Resistant
- >> High Quality Control



Item	Part no.	Description	Model
1	175-27-22325	SEGMENT GR.	D155
2	KM3603	SEGMENT GR.	D275
3	6Y 2047	SEGMENT GR.	D3
4	7G 0841	SEGMENT GR.	D4H
5	5S 0836	SEGMENT GR.	D5B
6	131-27-42220	SEGMENT GR.	D50
7	3T 9049	SEGMENT GR.	D5H
8	141-27-32280	SEGMENT GR.	D60-6
9	6P 9102	SEGMENT GR.	D6C
10	7G 7212	SEGMENT GR.	D6H
11	3P 1039	SEGMENT GR.	D7G
12	6Y 3928	SEGMENT GR.	D7H,D7R
13	155-27-00151	SEGMENT GR.	D85
14	2P 9510	SEGMENT GR.	D8H,D8K
16	2P 9448	SEGMENT GR.	D9G,D9H



UNDERCARRIAGE

MAKER		PRODUCT RANGE FOR UNDERCARRIAGE
BULLDOZER	CATERPILLAR	D3C,D4C,D4D,D4H,D5B,D5H,D5M,D6D,D6H,D6M,D7H,D7G/D7F/D7E,D8H,D8L,D8N,D8R,D9H,D9N,D9R, D10N,D10R, etc.
	KOMATSU	D20P,PL-5/6/7,D30/D31,D37,D40/D50,D60/D65,D80,D83,D85,D85ESS-1/D85A-18,D155,D355,D375 etc.
EXCAVATOR	CATERPILLAR	CAT215,CAT215DLC,CAT225,CAT225DLC/BLC,CAT235,E240,E200B/E320,CAT307,CAT311,CAT312/E120B,CAT317,CAT318BL/CAT320BL,CAT320,CAT320C,CAT325,CAT330,CAT330C/D,CAT350,E70,E300,E300B,E330L,E450, etc.
	KOMATSU	PC20,PC30,P40,PC50,PC60,PC100,PC120,PC150,PC200,PC220,PC300,PC400,PC450,PC650 etc.
	HITACHI	EX60,ZX70,EX60,EX90,EX100,EX120,EX100M,EX130H-5,EX150,EX200,FH200,EX210,FH220,EX220,ZX230,FH330,EX270,EX300,ZX350,EX330,EX400,EX450,UH04,UH045-7/UH063,UH07-5/UH081,UH07-7/UH083,ZX70,FH220-3,ZX230,ZX450,FH330,UH063,ZAXIS200/210,ZAXIS180/ZAXIS225,UH10LC,UH07-7,UH083,UH181,EX700,EX750,EX800,EX850,ZX850,EX1100, etc.
	VOLVO	EC210/EC240,EC280,EC290,EC295,EC350,EC360,EC460, etc.
	KOBELCO	SK03,SK04,SK045,SK12,SK60,SK100,SK120,SK135,SK200,SK200,S220,SK230,SK250,SK270/LC,SK300,SK330,SK07,SK21,SK60,SK150M,SK200,K907,K907-C/D Mark II,K904 etc.
	SUMITOMO	LS2650,LS4300,LS3400,SH100,SH120,SH200/280/LS2800FJ1/2,SH220,SH300,SH330,SH60/SH65,SH120,SH200, etc.
	KATO	HD250,HD400-2,HD400-5,HD450,HD700/770,HD800/820,HD900,HD909,HD1023,HD1250,INGERSOLLAND etc.
	HYUNDAI	R55,R130,R180,R200,R210,R220,R280,R290,R300,R320,R420,R450,R914, etc.
	DAEWOO/DOOSAN	DH07,DH08,DH010,DH180,DH220/UH081,DH250,DH280,DH300,DH320,DH330,DH55,DH220,DH130,S130,S150,S170,S175,S200,DH400 etc. DX35Z,DX63-3,DX140LC,DX200A,DX225LCA,DX300LCA,DX340LCA,DX420LCA,DX500LCA,DX700LCA
	SAMSUNG	MX8-2,MX292,MX352,SE130,SE210,SE210LC-2,SE280,SE280LC-2,SE350,SE350LC-2,SE450LC-2,SE460 etc.
OTHERS	MS110,MS120,MS180-8,MS230,MS240/MS270,BD2G, MANTIS, PAVER, FURUKAWA, CRAWLER CRANE, DEMAG, ATLAS COPCO, HALLA220, LIEBHERR etc.	